



*You Won't Believe What They Can Do*

# M I C R O W A V E | o v e n s

*You Won't Believe What They Can Do*

**SHARP®**

**Carousel®**

Leadership in design is often an indicator of excellence beyond the surface issues. Today's consumers want appliances that are just as extraordinary in looks as they are in performance and value, which is what inspired Sharp to create professional type stainless steel microwaves for the home. And with a line of popular Over the Range and Built-in Carousel® microwave ovens, Sharp leads the industry in both styling and feature innovations. The products of intuitive engineering, enlightened design and enduring quality, Sharp microwave ovens represent an outstanding value to consumers. No doubt it's why they've been the #1 brand of microwave ovens for so many years.



R-530BS

# M I C R O W A V E | o v e n s



R-430CS




## R-530BS, R-430CS

These elegantly-styled, large capacity stainless steel microwave ovens convey the sophisticated look of a product with smart, innovative engineering. A look that definitely says, "there's some serious cooking going on here." Designed to meet the growing demand for professional-type equipment in the home, durable stainless steel is as practical as it is beautiful. However, sleek styling isn't all that sets these ovens apart. Packed with advanced performance to meet every cooking and entertaining need, they offer a wide array of timesaving features that eliminate cooking and programming guesswork. Available with 16" turntable, 1.8 cu. ft. capacity (R-530BS) or 14 1/8" turntable, 1.4 cu. ft. capacity (R-430CS), both models have 1100 watts of high-speed cooking power. Perfect on the countertop or built-in (using optional RK-51S27 or RK-51S30 stainless-look Built-in Kits for R-530BS only), stainless steel makes everything look more professional, even the person using it.



R-930CS

## S o p h i s t i c a t e d | s t a i n l e s s s t e e l



R-930CS

## R-930CS CONVECTION

Whether preparing a single meal or a lavish feast, the R-930CS Stainless Steel Convection Microwave offers a multitude of possibilities. A 4-way system with 15 3/8 inch diameter porcelain enamel turntable allows Convection Baking, Broiling, Combination Roasting and Baking, plus microwave convenience — all in one space saving design. It also has high and low racks to satisfy multiple convection or combination cooking needs. Smart & Easy™ Sensor Settings eliminate

cooking blunders for 8 different food categories. CompuDefrost™ quickly thaws meats and poultry. At 900 watts of power with a 1.5 cu. ft. stainless steel interior, this oven works great as a countertop unit or wall oven (using either an optional 27 or 30 inch Built-in Kit.) The R-930CS makes everything possible whether it's baking a cake, warming a casserole, broiling a steak, roasting a turkey or just popping popcorn proving that its beauty isn't limited to its lustrous exterior.





R-1754



R-1750

Sharp's new 1100 watt, 1.6 cu. ft. capacity Over the Range Microwaves will quickly become everyone's favorite kitchen appliances. The Smart & Easy™ Touch Screen, an interactive back lit LCD display, includes 24 delicious recipes with on-screen directions plus 62 automatic settings. It makes microwave cooking quick, easy and fun! A removable rack increases usable capacity. Now available in *stainless steel*, black, white or *bisque*, these ovens offer the convenient, attractive features and styling you expect from Sharp. The powerful 300 CFM ventilation system has a 2-speed fan to remove smoke and steam from range-top cooking.

## Touch Screen | convenience

**SMART & EASY TOUCH SCREEN** leads you through the preparation of meals with interactive, step-by-step instructions. Guides user through the cooking process and offers 24 delicious on-screen recipes, automatic settings and helpful hints in English, Spanish and French.

**6 x 6 NO-GUESS COOKING** offers a selection of six food categories, each with a choice of six foods. That's 36 different foods that can be cooked by following the simple, foolproof cooking steps found on the interactive Touch Screen.

**MORE FROM YOUR MICROWAVE** provides quick and complete recipes for One Dish Dinners, Low Calorie Entrees, Supper Soups & Sauces and Delicious Desserts.

**TURNTABLE ON/OFF** setting enables users to put the extra-large 13-inch turntable in "OFF" position in order to use oblong dishes (up to 4-quart, 10" x 15"). Makes it much easier to cook for a crowd.

**REMOVABLE COOKING RACK** increases capacity, accommodating multiple dishes without crowding.

**SENSOR COOKING** automatically detects when food is done; includes 33 sensor settings for the most popular microwave foods

**DEFROST 3 + 6** includes three Super Defrost settings — for defrosting that's up to 50% faster! Six CompuDefrost™ settings automatically defrost virtually any food category.

**POWERFUL 300 CFM VENTILATION SYSTEM** has three convenient venting options. Unit comes ready-to-recirculate with the charcoal filter provided, making it easier than ever to install, or it may be ducted to the outside, either vertically or horizontally.

**CONVENIENT** work light, auto night light and auto fan settings. Both night light and vent fan can be programmed to turn off after a designated time.



R-1754

Sharp's 1000 watt, 1.6 cu. ft. capacity Over the Range Carousel microwaves represent the latest in advanced technology. The 2-line, 16-digit display makes communication faster and easier to read. A new removable rack increases capacity and 44 automatic menu selections greatly expand cooking/reheating convenience. There's also Memory Cook, which quickly recalls one set of cooking instructions previously stored in memory. Plus Super Defrost, that's up to 50% faster. Available in black, white, or almond, these ovens feature a new pearlescent handle to complement any decor. The powerful ventilation system has a 2-speed fan to remove smoke and steam from range-top cooking.



R-1611

## Automatic convenience



R-1610

### 2-LINE, 16-DIGIT INTERACTIVE DISPLAY

makes programming communication faster and easier to read. Guides user through the cooking process and offers a variety of helpful hints in English, Spanish, and French.

**"MORE FROM YOUR MICROWAVE"** provides 31 additional cooking / reheating / defrost selections. Enables users to defrost, cook and heat a variety of breakfast and lunch items as well as popular one-dish dinners, all automatically. Recipes provided, of course!

**TURNTABLE ON/OFF** setting enables users to put the extra-large 13" turntable in "OFF" position in order to use oblong dishes (up to 4-quart, 10"x15"). Makes it much easier to cook for a crowd.

**REMOVABLE COOKING RACK** increases capacity, accommodating multiple dishes without crowding.

**13 SMART & EASY SENSOR SETTINGS** automatically select optimum cooking times and power levels for popular food groups including Popcorn and Reheat.

**SUPER DEFROST** automatically defrosts 1-lb. portions of ground beef and boneless chicken breasts up to 50% faster. CompuDefrost™ automatically defrosts virtually any food category.

**POWERFUL 300 CFM VENTILATION SYSTEM** offers three convenient venting options. Comes READY-TO-RECIRCULATE with the charcoal filter provided making it easier than ever to install. May also be ducted to the outside, either vertically or horizontally.



With these Over the Range convection microwave ovens, Sharp brings new meaning to multifunctional convenience. Now consumers can brown, bake, broil, crisp and roast with microwave, convection, combination and broil options. One oven does it all, without taking up a lot of space. They even come in a choice of designer colors: R-1850 (black-on-black), R-1851 (white-on-white) and R-1852 (almond-on-almond) – to suit any decor. A generous 1.1 cu. ft. stainless steel interior easily handles a variety of cooking needs and 850 watts offer cooking power to spare.




R-1850A



R-1851A

## Versatile | cooking



R-1851A

**LARGE 13-INCH DIAMETER CERAMIC TURNTABLE** with ON/OFF flexibility to handle oversized or oblong-shaped dishes or containers.

**BUILT-IN EXHAUST SYSTEM** offers horizontal or vertical discharge or ductless recirculation. Comes with hood light and powerful fan.

**7-DIGIT, 2-COLOR INTERACTIVE DISPLAY** spells out programming steps on a lighted easy-to-read display. CUSTOM HELP key offers helpful cooking hints and step-by-step instructions for special features such as Child Lock and Auto Start.

**SMART & EASY SENSOR** settings automatically determine and set cooking or reheating times and power levels for a variety of popular foods including baked potatoes, frozen entrees, vegetables, hot dogs, bacon and fish/seafood.

**COMPU BROIL™, COMPU ROAST™, COMPU BAKE™** settings provide a new level of automatic ease. Broil a steak, roast a chicken, bake a cake to perfection at the touch of a key.

**HIGH RACK** included for two-level baking.

**LOW RACK** may be used for baking, roasting or broiling.

It's everything anyone could want in a convection microwave oven...and more. Available in black (R-930AK), white (R-930AW) or stainless (R-930CS)\*, with a stainless steel interior, these ovens may be used as a countertop units, or installed as wall ovens with optional Built-in Kits. All incorporate Sharp's advanced Interactive Cooking System with a 2-Color Display that provides easy-to-follow cooking steps and programming instructions. The large 1.5 cu. ft. capacity with 15 3/8" diameter porcelain enamel turntable can easily handle a wide range of conventional and microwave cooking needs. It's the most convenient way to create everything from cakes and casseroles to steaks and roasts to potatoes and popcorn. Output power: 900 watts.



R-930AK



R930AW

## Interactive system



R-930AK

R-930AW

**4-WAY SYSTEM** browns, bakes, broils, crisps. Two combination settings for roasting and baking are included. Broil key automatically preheats oven, signals when ready.

**SMART & EASY SENSOR** eliminates guesswork by automatically determining microwave cooking/reheating times and setting power levels for 8 different food categories.

**COMPU BROIL™, COMPU ROAST™, COMPU BAKE™** automatically compute broiling, roasting and baking times/temperature settings. High and low racks satisfy multiple cooking needs.

**7-DIGIT 2-COLOR INTERACTIVE DISPLAY WITH CUSTOM HELP KEY** provides easy-to-read programming steps, cooking hints and special options. Many time and work-saving extras include:

**SLOW COOK, LOW MIX/BAKE, HIGH MIX/ROAST, COMPU DEFROST, 10 VARIABLE POWER LEVELS, REHEAT & POPCORN SENSORS, MINUTE PLUS, TIMER.**

**\*PROFESSIONAL TYPE STAINLESS STEEL** the brilliant luster and cool texture complements any kitchen whether it's traditional, contemporary or ahead of its time. (R-930CS only)  
See page one for details.

MODEL	R-1754 R-1752 R-1751 R-1750	R-1612 R-1611 R-1610	R-1852A R-1851A R-1850A	R-930AW R-930AK R-930CS	R-530BS	R-430CS
TYPE OF OVEN/CONTROL:	Over the Range Touch Screen Display	Over The Range Auto-Touch	Over The Range Convection/Touch	Full Size Convection/Touch	Full Size Auto-Touch	Family Size Auto-Touch
OVEN CAPACITY:	1.6 cu. ft.	1.6 cu. ft.	1.1 cu. ft.	1.5 cu. ft.	1.8 cu. ft. (B Models)	1.4 cu. ft.
TURNTABLE DIAMETER:	13" glass Carousel Turntable	13" glass	13" ceramic	15 3/8" porcelain enamel	16" glass	14 1/8" glass
OUTPUT POWER:	1100W	1000W	850W	900W	1100W	1100W
OUTSIDE DIMENSIONS:	29 15/16" x 16 3/8" x 16 7/8"	29 15/16" x 16 3/8" x 17 1/16"	29 15/16" x 16 11/32" x 15 9/32"	24 3/8" x 14 7/8" x 18 3/4"	23 15/16" x 13 7/16" x 19 1/4"	21 11/16" x 12 3/8" x 17 3/8"
SENSOR:	Yes- 33 settings	Yes- 13 settings + More From Your Microwave	Yes- 12 settings	Yes- 10 settings	Yes- 14 settings	Yes- 13 settings + More From Your Microwave
INTERACTIVE DISPLAY:	Large LCD Screen 10 lines- 26 characters	Yes- 2 line 16 digit	Yes- 7 digit	Yes- 7 digit	Yes- 2 line 12 digit	Yes- 2 line 16 digit
AC POWER REQUIRED:	1.45kW, 13A	1.64kW, 14A	1.64kW, 13.2A	1.55kW, 13A	1.55kW, 14A	1.55kW, 13.3A
COLOR:						
White	R-1751	R-1611	R-1851A	R-930AW		
Black/Gray	R-1750 (black only)	R-1610	R-1850A	R-930AK		
Almond		R-1612	R-1852A			
Bisque:	R-1752					
Stainless	R-1754 stainless front; black cabinet			R-930CS stainless door; silver painted cabinet	R-530BS stainless door; silver painted cabinet	R-430CS stainless door; silver painted cabinet
UPC CODES:	R-1754:074000638495 R-1752:074000638488 R-1751:074000638471 R-1750:074000638464	R-1612:074000637597 R-1611:074000637580 R-1610:074000637573	R-1852A:074000635739 R-1851A:074000635524 R-1850A:074000635517	R-930CS:074000637870 R-930AW:074000606043 R-930AK:074000606036	R-530BS:074000636996	R-430CS:074000637474
Optional Accessories: (Available at Extra Cost)	RK-230 Charcoal Filter for non-deducted installations†	RK-230 Charcoal Filter for non-deducted installations†	RK-220 Charcoal Filter for non-deducted installations†	RK-66WB (white) RK-66A (black) RK-93S27 (stainless look) RK-93S30 (stainless look) Trim Kit for built-in installations†	RK-51S27 (stainless look) RK-51S30 (stainless look) Trim Kit for built-in installations†	RK-42S24 Trim Kit for built-in installations


Specifications subject to change without notice. All Sharp Microwave Ovens require a minimum 15 amp circuit. †Refer to Operation Manual for installation recommendations. Output wattage based on IEC-705 1988 Test Procedure.

\* Depth Dimension excludes handle.

Your Sharp Microwave Oven can be built into your kitchen wall or cabinet using the appropriate Sharp Built-in Kit. Complete hardware and easy-to-follow instructions are included. Prepare cabinet or wall opening according to the illustration at left, providing access to a separate 3-pronged, 120V AC outlet, 15 amps. or larger.

	A	B	C	D	E	F	G	H	I
<b>RK-42S24</b>	17 <sup>1</sup> / <sub>8</sub> "	23 <sup>11</sup> / <sub>16</sub> "	15 <sup>13</sup> / <sub>16</sub> " ± 1/8"	—	—	—	—	22 <sup>3</sup> / <sub>16</sub> " ± 1/8"	min. 19 <sup>1</sup> / <sub>4</sub> "
<b>RK-66A, RK-66WB</b>	19 <sup>7</sup> / <sub>8</sub> "	26 <sup>7</sup> / <sub>8</sub> "	17 <sup>1</sup> / <sub>8</sub> " (+ ht. of wood)	17 <sup>1</sup> / <sub>8</sub> "	nominal 2"x 2"; actual 1 <sup>9</sup> / <sub>16</sub> " x 1 <sup>9</sup> / <sub>16</sub> " x 15"	15"	18 <sup>3</sup> / <sub>8</sub> " ± 1/8"	25 <sup>1</sup> / <sub>4</sub> " ± 1/8"	min. 19 <sup>1</sup> / <sub>2</sub> "
<b>RK-93S27</b>	20 <sup>1</sup> / <sub>8</sub> "	26 <sup>7</sup> / <sub>8</sub> "	17 <sup>1</sup> / <sub>8</sub> " (+ ht. of wood)	17 <sup>1</sup> / <sub>8</sub> "	nominal 2"x 2"; actual 1 <sup>9</sup> / <sub>16</sub> " x 1 <sup>9</sup> / <sub>16</sub> " x 15"	15 <sup>5</sup> / <sub>8</sub> "	18 <sup>3</sup> / <sub>8</sub> " ± 1/8"	25 <sup>1</sup> / <sub>4</sub> " ± 1/8"	min. 19 <sup>1</sup> / <sub>2</sub> "
<b>RK-93S30</b>	20 <sup>1</sup> / <sub>8</sub> "	29 <sup>7</sup> / <sub>8</sub> "	17 <sup>1</sup> / <sub>8</sub> " (+ ht. of wood)	17 <sup>1</sup> / <sub>8</sub> "	nominal 2"x 2"; actual 1 <sup>9</sup> / <sub>16</sub> " x 1 <sup>9</sup> / <sub>16</sub> " x 15"	15 <sup>5</sup> / <sub>8</sub> "	18 <sup>3</sup> / <sub>8</sub> " ± 1/8"	28 <sup>1</sup> / <sub>4</sub> " ± 1/8"	min. 20 <sup>1</sup> / <sub>8</sub> "
<b>RK-51S27</b>	18 <sup>1</sup> / <sub>8</sub> "	26 <sup>11</sup> / <sub>16</sub> "	16 <sup>7</sup> / <sub>8</sub> " ± 1/8"	—	not used	—	—	24 <sup>1</sup> / <sub>2</sub> " ± 3/16"	min. 20"
<b>RK-51S30</b>	18 <sup>1</sup> / <sub>8</sub> "	29 <sup>11</sup> / <sub>16</sub> "	16 <sup>7</sup> / <sub>8</sub> " ± 1/8"	—	not used	—	—	24 <sup>1</sup> / <sub>2</sub> " ± 3/16"	min. 20"

To receive the most current specifications, call Dimension Express at (702) 833-3600 from a fax machine. Enter code 9026 for instructions and a directory of Sharp microwave oven products.



Each Sharp Over The Range microwave oven can be easily adapted for either outside ventilation (vertical or horizontal) or nonvented, ductless recirculation. Make sure top of oven will be at least 66" from the floor and at least 30" from the cooking surface. A separate 15 amp. or greater electrical receptacle must be located in the cabinet directly above the microwave oven.

**LIMITED WARRANTY (R-930AW, R-930AK, R-930CS, R-530BS, R-430CS):** 5 years on magnetron tube, 1 year on all other parts, 1 year on related labor and carry in service.\* See Operation Manual or your dealer for complete details.

\*1 year in-home service for the R-930AW, R-930AK, R-930CS and R-530BS will be provided when built-in using applicable Sharp Built-in Kit for models.

**LIMITED WARRANTY (R-1754, R-1752, R-1751, R-1750, R-1612, R-1611, R-1610):** 7 years on magnetron tube, 1 year on all other parts, 1 year on related labor and in-home service. See Operation Manual or your dealer for complete details.

**LIMITED WARRANTY (R-1852A, R-1851A, R-1850A):** 7 years on magnetron tube, 2 years on all other parts, 2 years on related labor and in-home service. See Operation Manual or your dealer for complete details.

**SHARP®**  
FROM SHARP MINDS  
COME SHARP PRODUCTS™

MW-06-071

Sharp Electronics Corporation  
Sharp Plaza, Mahwah, NJ 07430-2135  
For more information call: 1-800-BE-SHARP  
[www.sharp-usa.com](http://www.sharp-usa.com)  
©2000 Sharp Electronics Corporation